





CHAMFER PIN#1



Ø0.6 PINK(TYP.)



ELECTRICAL CHARACTERISTICS: (PE-65839 COMPATIBLE)

- HIPOT : 3000Vrms (PRI - SEC)
- URNS RATIO : 1 : 1 +/-5% (PIN 10-6 ; PIN 3-5)
1 : 1.26 +/-5% (PIN 10-6 ; PIN 1-5)
- CL (PIN 10-6) : 1.5mH MIN. @100KHZ 50mV
- CW/W (PRI.-SEC.) : 35pF MAX. @100KHZ 50mV
- D.C.R. (PIN 10-6) : 0.7 □HMS MAX.
- D.C.R. (PIN 1-5) : 1.1 □HMS MAX.
- LEAKAGE INDUCTANCE (PIN 10-6) : 0.6uH MAX. @100KHZ, 50mV @SEC SHORTED

UNLESS OTHERWISE SPECIFIED ALL TOLERANCES ARE ±0.25

					Atech [®]	TITLE T1/E1/ISDN TRANSFORMER	
B	DIM.	02/16/2005	BART AL	SUEDY		Atech Technology Co., Ltd. TEL:(02)2794-6687 FAX:(02)2794-8004	
A	H = 10.25 MAX.	04/30/2003	RORY PAIR	SUEDY	DWG. NO. ATPL-062		
RELEASE		03/16/99	PAIR	SUEDY	UNITS: M/M	SAFETY	SHEET 1 of 1
NO	DESCRIPTION	DATE	BY	CHK	APPD	DATE	DRAW
REVISIONS					03/16/99		Pair