



ELECTRICAL CHARACTERISTICS: (T1190 COMPATIBLE)

- D. C. R. : 14-16 = 6-8 = 0.7 Ω MAX. 1-3 = 0.7 Ω MAX.
9-11 = 1.0 Ω MAX.
- INDUCTANCE : (<@100KHZ, 50mV)
PRI. = 1.2mH MIN.
- LEAKAGE INDUCTANCE : (<@100KHZ, 50mV)
PRI. < SEC. SHORT) = 0.6 μH MAX.
- INTERWINDING CAP. : (<@100KHZ, 50mV)
PRI. - SEC. = 30pF MAX.
- URNS RATIO : PIN 1-3 : PIN 16-14 = 1CT : 1CT
PIN 6-8 : PIN 11-9 = 1CT : 1.36CT
- HI-POT : (<@1500 VAC, 1mA, 2SEC.) PRI. -SEC.

						 Atech Technology Co., Ltd. TEL:(02)2794-6667 FAX:(02)2794-8004	TITLE T1/E1/ISDN TRANSFORMER
B	H = 5.65 MAX.	08/27 2003	PAIR	ANGEL	SUEDY		DWG. NO. ATPL-109
A	TURNS RATIO	09/05 /2001	DOLLY	PAIR	SUEDY	UNITS: M/M	SAFETY
	RELEASE	11/13 /00	PAIR		SUEDY		
NO.	DESCRIPTION	DATE	BY	CHK	APPD	DATE	DRAW <i>Pair</i>
REVISIONS						11/13/00	